



## drying ovens, oven drying

Model: **APEX-JCX578**

Standard: **JB/T5520-91**

Introduce: **Blast the model type of intelligent PID control digital electric oven, widely used in industrial and agricultural production, scientific research, hea...**

### Detailed product information

---

#### APEX-JCX578 Electric Dryings Oven Thermostat Blast

First, drying ovens,oven drying introduction

Drying Oven is commonly used [food lab equipment](#). Blast the model type of intelligent PID control digital electric oven, widely used in industrial and agricultural production, scientific research, health care, pharmaceutical, biotechnology laboratories and other units on the baking test dry, heat treatment, storage and heating, but not volatile, flammable and other items in order to avoid an explosion. Such as: baked whole grains, dried herbs, electronic wire aging test computer board drying, plating metal jewelry drying, heat treatment and other industrial laboratory heating equipment is also standing corporate QS certification inspection must be equipped with instruments

Second, the drying ovens,oven drying principle and structure

Drying Oven is commonly used [food lab equipment](#). This product is equipped with a heat pipe studio rear, mounted behind the blast devices, constant temperature control device to control the temperature and level, and then through the heat pipe is heated by circulating blower device at work, ensure temperature uniformity, surrounded by circular design, shelf spacing is adjustable up and down, built temperature probe. (Size can be custom-made according to customer requirements)

Third, the drying ovens,oven drying structural characteristics

Drying Oven is commonly used [food lab equipment](#). Interior is divided into two mirror stainless steel and cold rolled sheet material, corners semicircular is easy to clean, reasonable duct so that the temperature is more uniform. Has a large viewing angle observation window, timing and over-temperature alarm function. With high temperature silicone for sealing the door, high temperature heat pipe for heating elements, to ensure the safety and longer life.

Fourth, the technical parameters

Studio Size mm height X width X depth: 350X350X350

Overall Size mm height X width X depth: 530X640X550

Voltage V: 220/50Hz

Power KW: 1

Temperature °C: room temperature ~ 250

Accuracy °C:  $\pm 1$  °C

Timing range:

Note: intelligent digital timer alarm function; within minutes multilayer, each comes standard with two shelves; manual, certificate, warranty card.